


Product Parameter



Model		HWK-20MA1	HWK-24MA1	HWK-30MA1	HWK-36MA1
Nominal Cooling Capacity (kw)		51	60	70.8	84
Nominal Heating Capacity (kw)		61.4	67.2	76.6	96.4
Power Supply		380V/3N~/50Hz	380V/3N~/50Hz	380V/3N~/50Hz	380V/3N~/50Hz
Dimension (mm)		3156*2240*1340	3156*2240*1340	3390*2240*1340	3390*2240*1340
Airflow		11000	13000	16000	17000
ESP (Pa)		350	350	350	350
Fan	Fan Type	Centrifugal Fan	Centrifugal Fan	Centrifugal Fan	Centrifugal Fan
	Fan Input Power (kw)	4	5.5	7.5	7.5
Compressor	Compressor Type	Hermetic Scroll Compressor	Hermetic Scroll Compressor	Hermetic Scroll Compressor	Hermetic Scroll Compressor
	Compressor Qty	2	2	2	2
Input power	Cooling (kw)	17.8	20.8	24.5	29.1
	Heating (kw)	18.4	20.7	23.8	27.1
Weight (kg)		710	780	1030	1060
Refrigerant	Type	R410A	R410A	R410A	R410A
	Refrigerant Charge Volume (kg)	7.0kg*2	7.0kg*2	8.0kg*2	8.0kg*2

Model		HWK-40MA1	HWK-48MA1	HWK-60MA1	HWK-72MA1
Nominal Cooling Capacity (kw)		102	120	141.6	168
Nominal Heating Capacity (kw)		122.8	134.4	153.2	192.8
Power Supply		380V/3N~/50Hz	380V/3N~/50Hz	380V/3N~/50Hz	380V/3N~/50Hz
Dimension (mm)		4980*4100*1340	4980*4100*1340	4980*4340*1340	4980*4340*1340
Airflow		22000	26000	32000	34000
ESP (Pa)		350	350	350	350
Fan	Fan Type	Centrifugal Fan	Centrifugal Fan	Centrifugal Fan	Centrifugal Fan
	Fan Input Power (kw)	11	11	15	15
Compressor	Compressor Type	Hermetic Scroll Compressor	Hermetic Scroll Compressor	Hermetic Scroll Compressor	Hermetic Scroll Compressor
	Compressor Qty	4	4	4	4
Input power	Cooling (kw)	35.6	41.6	49	58.2
	Heating (kw)	36.8	41.4	47.6	54.2
Weight (kg)		1420	1560	2060	2120
Refrigerant	Type	R410A	R410A	R410A	R410A
	Refrigerant Charge Volume (kg)	7.0Kg*4	7.0Kg*4	8.0Kg*4	8.0Kg*4

1. Cooling capacity testing conditions: Indoor (DB 27°C, WB 19°C), Outdoor (DB 35°C).
2. Heating capacity testing conditions: Indoor (DB 20°C, WB 15°C), Outdoor (DB 7°C, WB 6°C).



HOLTOP

Beijing Holtop Air Conditioning Co., Ltd.

No. 5 Yard, 7th Guanggu Street, Badaling Economic Development Zone, Yanqing District, Beijing, China

Tel: 86-400-628-2002

Website: www.holtop.net

E-mail: export@holtop.com.cn